

University of Groningen

Over den index vocalis

Hiddema, Abe

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1928

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Hiddema, A. (1928). *Over den index vocalis*. [, Rijksuniversiteit Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

STELLINGEN.

STELLINGEN.

I.

De variaties in de menschelijke wervelkolom, zijn het resultaat van kiemvarieteiten, die in den eerste kiemaanleg hun oorsprong hebben.

II.

Bij klachten, die wijzen op endometriosis verrichte men laparotomie, in plaats van een conservatieve behandeling toe te passen.

III.

Bij diabetis zijn de geringste verschijnselen van mastoiditis een indicatie voor mastoid operatie.

IV.

De complement bindingsreactie bij gonorrhoe heeft diagnostische waarde.

V.

Het gebruik van cocaine bij de diagnose van oogletsels is niet altijd te ontraden.

VI.

Indien men etterige complicaties van roodvonk met een serum wil behandelen gebruike men een gewoon streptococcen serum en niet het roodvonk serum.

VII.

Bij een ulcus callosum ga men zoo mogelijk tot uitsnijding van de zweer over.

VIII.

De cholecystographie met tetrajoodphenolphtaleine late men bij icterische patienten liever na.

X.

Het schrijven van medische artikelen in de leekenpers is in zijn tegenwoordige uitbreiding voor patienten en medici van nadeel.
